






INSTRUCTIONS FOR THE ASSEMBLY AND INSTALLATION OF LADDERS

WEIGHT LIMIT 396LBS




Part List

A  X2	A-1  X2	B  X4
C  X4	D  X2	E  X4
F  X2	G  X2	H  X4
#1  ST5*38 X8		#2  ST6*35 X2


Installation procedure

STEP 01




- Assemble A to A-1.

STEP 02




- Use #1 to connect A and A-1 together.

STEP 03





- Place part H with the letter H facing up and place it at the bottom of A-1.

STEP 04





- Embed the horizontal version of G into A as shown in the figure.

STEP 05



- As shown in the picture, Put E into the card slot of A and A-1

STEP 06



② B


Knock down first and then push in.

① C

Convex faces outward. Push inward first, then knock down.


- Install B and C on A and A-1.

STEP 07





- Pour clean sand into the hole of A and A-1.

STEP 08





- Follow step 5 to install B and C on A and A-1.

STEP 09



- Put F into the upper E.


STEP 10



- Put D into the groove of E and fix it with #1.

STEP 11


Keep the back of the pool ladder firmly against the pool wall.




- You can use #2 to fix F on the ground.

- **Note:** If you want to assemble two ladders together, please follow the steps below to install.

STEP 12



STEP 13



- You can use sandbags or other heavy objects to stabilize the step.