
12 x 20FT

WQG-026-3






A 4x



B1 4x



B2 4x




A2 2x




B7 2x



D 4x



D21 2x



D20 6x



C1 4x



C2 4x

C4 4x



F1 4x




F2 4x


F4 4x

F8 3x


G1 2x




G5 2x




G6 2x




I1 2x




I5 2x




I6 2x




L4 1x




M4 1x




V4a 2X




V4b 2x



V1 2x




H 4x




H1 4x




E5 4x




Z 64x



Z1 8x



Z2 8x




Q1 8x




N 12x




N1 10x




K1 6x




K 4x




J1 2x




W1 2x




W2 2x



J 4x



P 6x




V 6x



Y 96x




U 152x




Q3 8x




Q4 8x




T 4x + 2x




T1 4x + 2x




X1 4x



X2 4x



X3 4x



X4 4x




X5 4x




X6 4x




X7 4x



S1 4x



S2 4x



S3 8x



X8 4x



M6x15

1 245x



M6x23

2 84x




M6x25

3 16x



ST 4.8x12

4 8x



5 **3x**



M6x45

7 12x



8 16x




M6x10

9 12x



10 20x




11 1x



4mm

12 2x




14 1x




M5x15


15 32x




A 4x



A2 2x



J 4x



J1 2x




W1 2x



W2 2x



Q3 8x



Q4 8x

5



M6x15

1 28x



M5x15


15 32x



B1 2x



B2 2x




P 2x



M6x15

1 16x

<2>






B1 2x



B2 2x



B7 2x



P 4x



M6x15

1 32x

<4>





⑧ 16x




M6x15


① 16x







H 4x




H1 4x




M6x15


1 16x

<5>







i d1=d2



Tips: Please measure to make sure the length of d1 is equal to d2 before moving to next step to ensure a square frame and best results. Keep the beam at right angles to the post, the post at right angles to the ground, and keep the beam horizontal.



W1 2x



W2 2x





M6x15

1 8x




10 20x





Ⓚ 4x



Ⓚ1 6x



Ⓤ 152x



Ⓥ 6x



M6x15


① 18x



ST4.8x12

④ 8x


11




D 4x




E5 4x



D21 2x



D20 6x




Q1 8x




M6x15

1 24x

<8>








L4 1x



F8 3x




11 1x



M6x15

1 18x



Note:
1. Let one person stand on the ladder to lift "L4" and hold and let others fasten the screws connecting both ends of "D20".
2. Please do not let go of holding "L4" until all the "D20" screws are installed.




5 3x



M6x15


1 16x

<10>






G1 2x



G5 2x



G6 2x



N 4x




N1 2x





M6x15

1 12x

<11>







S1 2x


S2 2x




X1 2x




X2 2x




X3 2x




X4 2x




X5 2x




X6 2x



Z 32x





Z1 4x




Z2 4x


<12>









<13>







S1 2x S2 2x

S3 8x

X1 2x X2 2x

X3 2x X4 2x

X5 2x X6 2x


X8 4x X7 4x

Z 32x


Z1 4x


Z2 4x

<14>



When installing the Roof plates (S1 S2) onto short side, pls detach the right end of Roof Rib(G1) first. And then install the right end of Roof Rib (G1) again after (S1 S2) is installed.








M4 1x



M6x15

1 5x

<15>



<16>


F1 4x


F2 4x


F4 4x

M6x15

1 12x








C1 4x



C2 4x



C4 4x



N 4x




N1 8x





M6x15


1 12x

21












<18>





<19>



<20>


X1
X3
X5
X6
X4
X2
X7
X8
X8
X7
X6
X4
X2
X1
X3
X5




X1
X3
X5
X6
X4
X2
X1
X3
X5
X7
X8
X7
X8
X6
X4
X2



Ⓨ 96x

M6x25

③ 16x


M6x23


② 84x


M6x45

⑦ 12x


<21>







Note: When installing the roof top plates,if the roof plates are slightly uneven, pls press the screws from the top of the plates until the bottom screw thread is exposed by 3 to 4mm, and then screw on the nut.




I1 2x




I5 2x




I6 2x



V1 2x



V4a 2x



V4b 2x



N 4x



M6x15


1 12x

26




M6x10

9 12x





T 4x+2x





T1 4x+2x

<23>









Carton-1/6	
Part	Qty
A	4
A2	2

Carton-2/6	
Part	Qty
D	4
D21	2
D20	6
E5	4
Z	64
Z1	8
Z2	8
P	6

Carton-3/6	
Part	Qty
B1	4
B2	4
G1	2
C4	4
I1	2
I5	2
I6	2
F1	4
F2	4

Carton-3/6	
Part	Qty
F4	4
F8	3
V1	2
V4a	2
V4b	2
J	4

Carton-4/6	
Part	Qty
L4	1
M4	1
B7	2
C1	4
C2	4
G5	2
G6	2
H	4
H1	4
Q1	8
N	12
N1	10
K1	6
K	4
J1	2
W1	2
W2	2
V	6

Carton-4/6	
Part	Qty
Y	96
U	152
T	4+2
T1	4+2
Q3	8
Q4	8
1.2.3.4.5.7.8.9. 10.11.12.14.15	1

Carton-5/6	
Part	Qty
X5	4
X6	4
X7	4
X8	4

Carton-6/6	
Part	Qty
X1	4
X2	4
X3	4
X4	4
S1	4
S2	4
S3	8