




Outdoor Recliner Set Manual



Product accessories list


A Leg Tube  4pcs	B Seat Board  2pcs	C Backrest Panel  2pcs	D Rear Support  2pcs
E Seat Base Support  4pcs	F Flat Head Screw  M6*15mm 16pcs	G Flat Head Screw  M6*65mm 8pcs	H Flat Head Screw  M6*70mm 8pcs
I Flat Head Screw  M6*80mm 8pcs	J Nut  M6 24pcs	K Washer  M6 64pcs	L Screw Cap  M6 40pcs
M Nut Cover  M6 24pcs	N Plastic Washer  8pcs	O Hex Wrench  M6/Cross wrench 2pcs	P Socket Wrench  2pcs
Q Headrest  2pcs	T Screw  ST5*20 12pcs	U Adjustment Clip  4pcs	

Suggestion: To save your time and facilitate installation, it is recommended that at least two people handle the installation.

ASSEMBLY STEPS :

Step 1: Position the two leg tubes upside down.


1



A:2PCSX2


Step 2: Assemble the seat bending tube and the rear support tube with the leg tubes using a total of 8 screws.
Do not tighten the screws after assembly.

2



E:1PCSX2 D:1PCSX2
L:8PCSX2 F:4PCSX2
K:12PCSX2 G:4PCSX2
J:4PCSX2 M:4PCSX2

Step 3: Assemble the seat bending tube with the leg tubes using a total of 4 screws. After assembly, do not tighten the screws yet. Instead, flip the assembly over and tighten all screws uniformly on a flat surface to avoid any height discrepancies.




E:1PCSX2

L:4PCSX2

F:4PCSX2

K:4PCSX2

Step 4: Assemble the armrests to the seat board. Begin by securing the first four positions with a total of four screws. When assembling, do not fully tighten the screws and nuts on one side after installing two screws; instead, proceed to install the screws on the other side. After both sides are assembled, wait until Step 5 is complete before tightening all screws simultaneously. Otherwise, it may result in difficulty in aligning and tightening both sides.



B:1PCSX2

L:4PCSX2

I:4PCSX2


K:8PCSX2

M:4PCSX2

J:4PCSX2

Step 5: Assemble the armrests to the seat board by attaching the two remaining holes with a total of 2 screws.
Once assembled, tighten all 6 screws from Steps 4 and 5 simultaneously.


5




H:2PCSX2
L:2PCSX2
J:2PCSX2
K:4PCSX2
M:2PCSX2
N:2PCSX2

Step 6: Assemble the five-position adjustment clip for the backrest. Note: Ensure that the orientation is not reversed.

6




T:6PCSX2
C:1PCSX2
U:2PCSX2



Step 7: Align the backrest with the two holes on the armrests.


7



C:1PCSX2

Step 8: Assemble the armrests to the back panel using a total of 2 screws. Be sure to place one washer on each side of the backrest.


8



H:2PCSX2
L:2PCSX2
J:2PCSX2
K:4PCSX2
M:2PCSX2
N:2PCSX2

Step 9: Place the pillow over the back frame.

1



Q:1PCSX2


Product accessories list

S Coffee Table Legs  2pcs	W Coffee Table Legs  2pcs	R Coffee Table Top  1pc	F Flat Head Screw  M6*15mm 8pcs
K Washer  M6 8pcs	L Screw Cap  M6 8pcs	O Hex Wrench  M6/Cross wrench 1pc	

Step 1: Assemble the leg tubes to the underside of the tabletop using a total of 8 screws.

1

S:2PCS
W:2PCS
R:1PCS
L:8PCS
F:8PCS
K:8PCS



2

